



Compassion Fatigue

FRPA 2019



LEARNING OBJECTIVES



- Define Compassion Fatigue
- Recognize the individual and organizational symptoms associated with Compassion Fatigue
- Identify ways to reduce Compassion Fatigue

SPEAKERS

- **Katelin Colón, CTRS** – Therapeutic Recreation Specialist for the City of Miami, Parks and Recreation’s Disabilities Division
- **Jocelyn Lata, CTRS** – Director of Recreation Therapy for the Pembroke Pines YMCA
- **Nadia N. Argüelles-Goicoechea, Ed.S., C.P.R.P.** – Program Coordinator for the City of Miami, Parks and Recreation’s Disabilities Division

What is compassion fatigue?

- Dr. Charles Figley defines it as “...a state experienced by those helping people or animals in distress; its an extreme state of tension and preoccupation with the differing of those being helped to the degree that is can create a secondary traumatic stress for the helper.”
- “The cost of caring for others” or Secondary Traumatic Stress
- Negative attitudes prevailing from the recognition of our society’s disregard of safety of our loved ones, and our need as caregivers to make a positive change in society



Difference Between Burn Out and Compassion Fatigue

- **Compassion Fatigue:**
 - The American Stress Institute defines it as “The emotional residue or strain of exposure to working with those suffering from the consequences of traumatic events. It differs from burn-out, but can co-exist. Compassion Fatigue can occur due to exposure on one case or can be due to a “cumulative” level of trauma.”
- **Burn Out:**
 - Cumulative process marked by emotional exhaustion and withdrawal associated with increased workload and institutional stress, NOT trauma-related


Individual Symptoms

- Excessive blaming
- Bottled up emotions
- Isolation from others
- Receives unusual amount of complaints from others
- Voices excessive complaints about administrative functions
- Substance abuse used to mask feelings
- Compulsive behaviors such as overspending, overeating, gambling, sexual addictions
- Poor self-care (i.e., hygiene, appearance)
- Legal problems, indebtedness
- Reoccurrence of nightmares and flashbacks to traumatic event
- Chronic physical ailments such as gastrointestinal problems and recurrent colds
- Apathy, sad, no longer finds activities pleasurable
- Difficulty concentrating
- Mentally and physically tired
- Preoccupied
- In denial about problems

Organizational Symptoms

- High absenteeism
- Changes in co-worker's relationships
- Inability for teams to work well together
- Outbreaks of aggressive behavior among staff
- Negativism towards management
- Strong reluctance towards
- Lack of vision for the future
- Friction between employees, staff and management
- Breaking company rules
- Inability of staff to complete assignments
- Inability of staff to respect and meet deadlines
- Lack of flexibility among staff
- Inability of staff to believe improvement is possible

How do you know?



Ways to Reduce

1. GET EDUCATED

2. PRACTICE SELF-CARE

- Balanced, nutritious diet
- Regular exercise
- Routine schedule of restful sleep
- Balance between work and leisure
- Honoring emotional needs

3. SET EMOTIONAL BOUNDARIES

4. ENGAGE IN OUTSIDE HOBBIES

5. CULTIVATE HEALTHY FRIENDSHIPS OUTSIDE OF WORK

6. KEEP A JOURNAL

7. BOOST YOUR RESILIENCY

8. USE POSITIVE COPING STRATEGIES

9. IDENTIFY WORKPLACE STRATEGIES

- Support groups and open discussions about compassion fatigue in the workplace
- Regular breaks
- Routine check-ins
- Mental health days
- Onsite counseling
- Relaxation rooms, massage, meditation classes, etc.

10. SEEK PERSONAL THERAPY

(GoodTherapy.Org Staff (2016, February 9th) "The Cost of Caring: 10 Ways to Prevent Compassion Fatigue" Retrieved from <https://www.goodtherapy.org/blog/the-cost-of-caring-10-ways-to-prevent-compassion-fatigue-0209167>)

Personal Experience

- Used a typical life change to suppress signs/ symptoms
- Had to reorient how to process everyday stresses
- Use breathing exercises, stand up/walk periodically outdoors as well as improved nutrition
- Increased opportunities for team problem solving and delegation



Can you think of a time where compassion fatigue has affected you?

Lets Play!

- Paper Snow Flake
- Team Birthday Line Up
- Human Knot
- Blind Drawing



Katelin Colón, CTRS

305-960-4965

kcolon@miamigov.com

Jocelyn Lata, CTRS

954-727-9622 ext 1411

jlata@ymcasouthflorida.org

Nadia N. Argüelles-Goicoechea, Ed.S., C.P.R.P.

305-416-1320

narguelles@miamigov.com



FOR MORE INFORMATION ABOUT THE FLORIDA RECREATION AND PARK ASSOCIATION VISIT FRPA.ORG

PROFESSIONAL QUALITY OF LIFE SCALE (PROQOL)

COMPASSION SATISFACTION AND COMPASSION FATIGUE

(PROQOL) VERSION 5 (2009)

When you [help] people you have direct contact with their lives. As you may have found, your compassion for those you [help] can affect you in positive and negative ways. Below are some-questions about your experiences, both positive and negative, as a [helper]. Consider each of the following questions about you and your current work situation. Select the number that honestly reflects how frequently you experienced these things in the last 30 days.

1=Never

2=Rarely

3=Sometimes

4=Often

5=Very Often

- _____ 1. I am happy.
- _____ 2. I am preoccupied with more than one person I [help].
- _____ 3. I get satisfaction from being able to [help] people.
- _____ 4. I feel connected to others.
- _____ 5. I jump or am startled by unexpected sounds.
- _____ 6. I feel invigorated after working with those I [help].
- _____ 7. I find it difficult to separate my personal life from my life as a [helper].
- _____ 8. I am not as productive at work because I am losing sleep over traumatic experiences of a person I [help].
- _____ 9. I think that I might have been affected by the traumatic stress of those I [help].
- _____ 10. I feel trapped by my job as a [helper].
- _____ 11. Because of my [helping], I have felt "on edge" about various things.
- _____ 12. I like my work as a [helper].
- _____ 13. I feel depressed because of the traumatic experiences of the people I [help].
- _____ 14. I feel as though I am experiencing the trauma of someone I have [helped].
- _____ 15. I have beliefs that sustain me.
- _____ 16. I am pleased with how I am able to keep up with [helping] techniques and protocols.
- _____ 17. I am the person I always wanted to be.
- _____ 18. My work makes me feel satisfied.
- _____ 19. I feel worn out because of my work as a [helper].
- _____ 20. I have happy thoughts and feelings about those I [help] and how I could help them.
- _____ 21. I feel overwhelmed because my case [work] load seems endless.
- _____ 22. I believe I can make a difference through my work.
- _____ 23. I avoid certain activities or situations because they remind me of frightening experiences of the people I [help].
- _____ 24. I am proud of what I can do to [help].
- _____ 25. As a result of my [helping], I have intrusive, frightening thoughts.
- _____ 26. I feel "bogged down" by the system.
- _____ 27. I have thoughts that I am a "success" as a [helper].
- _____ 28. I can't recall important parts of my work with trauma victims.
- _____ 29. I am a very caring person.
- _____ 30. I am happy that I chose to do this work.

YOUR SCORES ON THE PROQOL: PROFESSIONAL QUALITY OF LIFE SCREENING

Based on your responses, place your personal scores below. If you have any concerns, you should discuss them with a physical or mental health care professional.

Compassion Satisfaction _____

Compassion satisfaction is about the pleasure you derive from being able to do your work well. For example, you may feel like it is a pleasure to help others through your work. You may feel positively about your colleagues or your ability to contribute to the work setting or even the greater good of society. Higher scores on this scale represent a greater satisfaction related to your ability to be an effective caregiver in your job.

If you are in the higher range, you probably derive a good deal of professional satisfaction from your position. If your scores are below 23, you may either find problems with your job, or there may be some other reason—for example, you might derive your satisfaction from activities other than your job. (Alpha scale reliability 0.88)

Burnout _____

Most people have an intuitive idea of what burnout is. From the research perspective, burnout is one of the elements of Compassion Fatigue (CF). It is associated with feelings of hopelessness and difficulties in dealing with work or in doing your job effectively. These negative feelings usually have a gradual onset. They can reflect the feeling that your efforts make no difference, or they can be associated with a very high workload or a non-supportive work environment. Higher scores on this scale mean that you are at higher risk for burnout.

If your score is below 23, this probably reflects positive feelings about your ability to be effective in your work. If you score above 41, you may wish to think about what at work makes you feel like you are not effective in your position. Your score may reflect your mood; perhaps you were having a “bad day” or are in need of some time off. If the high score persists or if it is reflective of other worries, it may be a cause for concern. (Alpha scale reliability 0.75)

Secondary Traumatic Stress _____

The second component of Compassion Fatigue (CF) is secondary traumatic stress (STS). It is about your work related, secondary exposure to extremely or traumatically stressful events. Developing problems due to exposure to other's trauma is somewhat rare but does happen to many people who care for those who have experienced extremely or traumatically stressful events. For example, you may repeatedly hear stories about the traumatic things that happen to other people, commonly called Vicarious Traumatization. If your work puts you directly in the path of danger, for example, field work in a war or area of civil violence, this is not secondary exposure; your exposure is primary. However, if you are exposed to others' traumatic events as a result of your work, for example, as a therapist or an emergency worker, this is secondary exposure. The symptoms of STS are usually rapid in onset and associated with a particular event. They may include being afraid, having difficulty sleeping, having images of the upsetting event pop into your mind, or avoiding things that remind you of the event.

If your score is above 41, you may want to take some time to think about what at work may be frightening to you or if there is some other reason for the elevated score. While higher scores do not mean that you do have a problem, they are an indication that you may want to examine how you feel about your work and your work environment. You may wish to discuss this with your supervisor, a colleague, or a health care professional. (Alpha scale reliability 0.81)

WHAT IS MY SCORE AND WHAT DOES IT MEAN?

In this section, you will score your test so you understand the interpretation for you. To find your score on **each section**, total the questions listed on the left and then find your score in the table on the right of the section.

Compassion Satisfaction Scale

Copy your rating on each of these questions on to this table and add them up. When you have added them up you can find your score on the table to the right.

3. _____
 6. _____
 12. _____
 16. _____
 18. _____
 20. _____
 22. _____
 24. _____
 27. _____
 30. _____
Total: _____

The sum of my Compassion Satisfaction questions is	And my Compassion Satisfaction level is
22 or less	Low
Between 23 and 41	Moderate
42 or more	High

Burnout Scale

On the burnout scale you will need to take an extra step. Starred items are "reverse scored." If you scored the item 1, write a 5 beside it. The reason we ask you to reverse the scores is because scientifically the measure works better when these questions are asked in a positive way though they can tell us more about their negative form. For example, question 1. "I am happy" tells us more about

- *1. _____ = _____
 *4. _____ = _____
 8. _____
 10. _____
 *15. _____ = _____
 *17. _____ = _____
 19. _____
 21. _____
 26. _____
 *29. _____ = _____

The sum of my Burnout Questions is	And my Burnout level is
22 or less	Low
Between 23 and 41	Moderate
42 or more	High

You Wrote	Change to	
	5	the effects of helping when you are <i>not</i> happy so you reverse the score
2	4	
3	3	
4	2	
5	1	

Total: _____

Secondary Traumatic Stress Scale

Just like you did on Compassion Satisfaction, copy your rating on each of these questions on to this table and add them up. When you have added them up you can find your score on the table to the right.

2. _____
 5. _____
 7. _____
 9. _____
 11. _____
 13. _____
 14. _____
 23. _____
 25. _____
 28. _____
Total: _____

The sum of my Secondary Trauma questions is	And my Secondary Traumatic Stress level is
22 or less	Low
Between 23 and 41	Moderate
42 or more	High

Professional Quality of Life Scale (ProQOL)

Compassion Satisfaction and Compassion Fatigue (ProQOL) Version 5 (2009)

When you [help] people you have direct contact with their lives. As you may have found, your compassion for those you [help] can affect you in positive and negative ways. Below are some questions about your experiences, both positive and negative, as a [helper]. Consider each of the following questions about you and your current work situation. Select the number that honestly reflects how frequently you experienced these things in the last 30 days.

1=Never

2=Rarely

3=Sometimes

4=Often

5=Very Often

- _____ 1. I am happy.
- _____ 2. I am preoccupied with more than one person I [help].
- _____ 3. I get satisfaction from being able to [help] people.
- _____ 4. I feel connected to others.
- _____ 5. I jump or am startled by unexpected sounds.
- _____ 6. I feel invigorated after working with those I [help].
- _____ 7. I find it difficult to separate my personal life from my life as a [helper].
- _____ 8. I am not as productive at work because I am losing sleep over traumatic experiences of a person I [help].
- _____ 9. I think that I might have been affected by the traumatic stress of those I [help].
- _____ 10. I feel trapped by my job as a [helper].
- _____ 11. Because of my [helping], I have felt "on edge" about various things.
- _____ 12. I like my work as a [helper].
- _____ 13. I feel depressed because of the traumatic experiences of the people I [help].
- _____ 14. I feel as though I am experiencing the trauma of someone I have [helped].
- _____ 15. I have beliefs that sustain me.
- _____ 16. I am pleased with how I am able to keep up with [helping] techniques and protocols.
- _____ 17. I am the person I always wanted to be.
- _____ 18. My work makes me feel satisfied.
- _____ 19. I feel worn out because of my work as a [helper].
- _____ 20. I have happy thoughts and feelings about those I [help] and how I could help them.
- _____ 21. I feel overwhelmed because my case [work] load seems endless.
- _____ 22. I believe I can make a difference through my work.
- _____ 23. I avoid certain activities or situations because they remind me of frightening experiences of the people I [help].
- _____ 24. I am proud of what I can do to [help].
- _____ 25. As a result of my [helping], I have intrusive, frightening thoughts.
- _____ 26. I feel "bogged down" by the system.
- _____ 27. I have thoughts that I am a "success" as a [helper].
- _____ 28. I can't recall important parts of my work with trauma victims.
- _____ 29. I am a very caring person.
- _____ 30. I am happy that I chose to do this work.